

Kenyon College

Digital Kenyon: Research, Scholarship, and Creative Exchange

Four Valleys Archive

Anthropology

7-7-2001

PVC-CAT-028-A-008-004-WKDS

Christian Wells
Kenyon College

Follow this and additional works at: <https://digital.kenyon.edu/honduras>

 Part of the Archaeological Anthropology Commons

Recommended Citation

Wells, Christian, "PVC-CAT-028-A-008-004-WKDS" (2001). *Four Valleys Archive*. Paper 80042.
<https://digital.kenyon.edu/honduras/80042>

This Catalog Sheet is brought to you for free and open access by the Anthropology at Digital Kenyon: Research, Scholarship, and Creative Exchange. It has been accepted for inclusion in Four Valleys Archive by an authorized administrator of Digital Kenyon: Research, Scholarship, and Creative Exchange. For more information, please contact noltj@kenyon.edu.

PROYECTO VALLE DE CACAULAPA

CATALOG FORM

DATE: 07/ July, 2001

LOT NUMBER: 28A/008

SUBSTANCE: Ceramic

OBJECT: Worked sherd

CATALOG #: 28A/008-4

MULTIPLES? NO

DRAWN BY: 1

PASTE GROUP (for ceramics):

EXCAVATOR:

CATALOGED BY: 1

MAXIMUM--HGT/LENGTH: 2.7cm

WIDTH: 2.4cm

THICKNESS: 0.3cm

VERBAL DESCRIPTION: This worked sherd is intact: y - (n)

If no, approximately what percentage is preserved (give a number): 90%

The shape of this object is approximately: triangular - square - rectangular - oval - tear-drop - other (describe):

A scribed/lightly incised line demarcating the circumference is visible: (y) - n

The margin/edge was chipped to form the item: (y) - n

The margin/edge was deliberately ground to smooth it: (y) - n

The margin/edge is smoothed from use: (y) - n

There is other use wear visible: y - (n)

Trace the item on the reverse, both frontal view and profile, and show where there is use.

Describe the use: Heavily smoothed on all edges -- looks like it was smoothed as part of the manufacturing process and then smoothed during use, as indicated by the rounded edges on at least 2 sides.

The type-variety from which this was made is: CACAULAPA GRP

Comments:

PASTE int.: 5YR 7/6

PASTE ext.: 5YR 7/4

28A/008-4

